



CE DECLARATION OF CONFORMITY

Manufacture **Senstar Corporation**
Address: **119 John Cavanaugh Rd**
Carp, Ontario
K0A 1L0, Canada
Product Name: **FP400 Fiber Optic Fence-Mounted Perimeter Intrusion Detection System**

We declare that the products listed below, where indicated, are in conformity with Directive **2017/2102** of 15-November-2017 and Directive **2015/863** of 31-March-2015 of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment (“**RoHS 3**”).

We further declare under our sole responsibility that the products listed below, where indicated, are in conformity with Directive **2014/30/EU** (“**EMC recast**”) and Directive **93/68/EEC (Marking)** based on test results using harmonized standards in accordance with the Directives mentioned.

EMC: EN 61000-6-4: 2007/A1:2011
Part 6-4: Generic Standards – Emission standard for industrial environments

EN 50130-4: 2011/A1:2014
Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder, hold-up, CCTV, access control, and social alarm systems.

Safety: IEC 62368-1:2018, Audio/video, information, and communication technology equipment – Part 1: Safety requirements

| Senstar Part Number | Description | RoHS 2 | EMC | Marking | Year CE Mark First Affixed |
|---------------------|--|--------|-----|---------|----------------------------|
| F4EM0100 | FiberPatrol FP400 processor in black aluminum panel-mount enclosure. Supports 4 detection zones | ✓ | ✓ | ✓ | 2019 |
| F4KT0200 | FP400 Zone Kit. Includes one Start Module and one End Module for installation in field splice enclosures | ✓ | - | ✓ | 2019 |
| F4SP0100 | Fiberoptic sensor/lead cable for FP400 applications, 12 fibers, black UV-resistant HDPE jacket, 6 mm OD, 250 m (820 ft.) reel | ✓ | - | ✓ | 2019 |
| F4SP0101 | Fiberoptic sensor/lead cable for FP400 applications, 12 fibers, black UV-resistant HDPE jacket, 6 mm OD, 1000 m (3280 ft.) reel | ✓ | - | ✓ | 2019 |
| F4KT0100 | Compact field splice enclosure | ✓ | - | ✓ | 2019 |
| GH1210-1000 | 1000-piece bag of UV-resistant Nylon 12 cable ties, 4.8 x 188 mm. (0.19 x 7.4 in.) | ✓ | - | ✓ | 2019 |
| FPKT0500 | Sensor cable management kit for swinging gates. One (1) section of 5 cm. (2 in.) diameter split conduit 1 m (3 ft.) long and two (2) hose clamps | ✓ | - | ✓ | 2019 |

Stewart Dewar / Product Manager

Senstar Corporation

28-April-2023