

Certificate of Compliance

Certificate:	70166622	Master Contract:	207284
Project:	70166622	Date Issued:	2018-02-12
Issued to:	Senstar Corporation 119 John Cavanaugh Rd Ottawa, Ontario K0A 1L0		

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



CANADA

Issued by: Eric Fortier Eric Fortier

PRODUCTS

CLASS - C386213 - INFORMATION TECHNOLOGY EQUIPMENT - (CSA 60950-1-07, Second Edition) CLASS - C386293 - INFORMATION TECHNOLOGY EQUIPMENT - (UL 60950-1, Second Edition) --Certified to U.S. Stds

Fence mounted Intrusion Detection Sensor, DC powered*, Class III, rated 12-48Vdc, 2W, model FlexZone X.

(*) Notes:

- 1. Unit must be powered via a certified power supply compliant with the requirements of a Limited power source (LPS) supply.
- 2. If the unit is powered via PoE (Power over internet) it must comply with the requirements of a Limited power source (LPS)
- 3. Mounting securement on a fence was not part of this investigation.
- 4. Where; 'x' may be any alphanumeric characters or left blank, not safety relevant.
- 5. The product has been evaluated for indoor or outdoor use.



 Certificate:
 70166622

 Project:
 70166622

Master Contract: 207284 Date Issued: 2018-02-12

APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No 60950-1-07 + Am1 + Am2 – Information Technology Equipment – Safety – Part1: General Requirements

UL 60950-1, Second Edition + Am1+ Am2 – Information Technology Equipment – Safety – Part1: General Requirements



Supplement to Certificate of Compliance

Certificate: 70166622

Master Contract: 207284

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

		Product Certification History
Project	Date	Description
70166622	2018-02-12	c/CSA/us certification of a fence Intrusion Detection Sensor, model; FlexZone X series. Unit complies with CSA 60950-1-07 + Am1 + Am2 / UL 60950-1, 2nd Ed. + Am1 + Am2.

DQD 507 Rev. 2016-02-18